



## THE WAY YOU WANT

### DECLARATION OF PERFORMANCE

No. UFD125\_UFD126\_005\_2019

1. External fire doors  
UFD 125 (single door)  
UFD126 (double door)
2. Intended use: external pedestrian fire doorset
3. Manufacturer: Saajos Oy, Puistokatu 21, 08150 Lohja, Finland  
Saajos AS, Paldiski mnt 31, 76606 Keila, Estonia
5. AVCP-system: AVCP 1
6. a. Harmonised standards: a) EN 16034:2014 ja b) EN 14351-1+A2:2016

Notified Body: NB 1336

Notified Body certification no. for fire door: 1336-CPR-0193

Product type is covered by type testing performed by:

NB 2018 – Technical University of Kaunas, Institute of Architecture and Construction

NB 1526 – TÜV Eesti OÜ

NB 0402 - SP Technical Research Institute of Sweden

NB 0809 – VTT Expert Services Ltd.

7. Declared performance:

Essential characteristics	Performance UFD 125	Performance UFD 126	Harmonised technical specification
Resistance to fire	EI <sub>1</sub> 30 EI <sub>2</sub> 60 E 90	EI <sub>1</sub> 30 EI <sub>2</sub> 60	EN 16034:2014
Smoke control	Sa/S <sub>200</sub>	Sa/S <sub>200</sub>	
Self-closing	C5	C5	

Essential characteristics	Performance UFD 125	Performance UFD 126	Harmonised technical specification
Resistance to wind load	3C	3C	EN 14351-1 + A2 2016
Watertightness	5A	2A	



## THE WAY YOU WANT

Air permeability

4

4

The performance of the product identified above is in conformity with performance declared in this document. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 3 in accordance with the regulation (EU) No. 305/2011.

Signed for and behalf of the manufacturer:

Place and date: Lohja 1.11.2019

Name: Kalle Saajos